




开发者项目更新

我们的最新发布、变化内容，以及如何与社区共同构建

免责声明：
本文内容用于解释eBay平台的各项操作流程或平台政策、规则。本文中的任何（包括隐含的）观点、建议、结论等仅供参考，不构成对您的最终操作的建议。
相关政策、规则的正式版本以各平台独立公布的为准。eBay不就本文中的内容等对您的最终操作等做出任何保证或者承诺，您据此做出的任何决策与eBay公司及编制人员无关。

© 2026 eBay. All rights reserved. Confidential and proprietary.

议程

三个相互关联的工作流，推动eBay开发者计划向前发展。

1

开发者体验

开发者门户网站
指南和 API 文档
AI 工具

2

计划更新

战略更新、路线图沟通与计划治理。

3

开发者参与和反馈

了解开发者需求、收集反馈并加强社区建设。


01

开发者体验

改善开发者通过eBay API进行发现、学习、构建和故障排查的方式。

开发者门户 全新视觉与交互体验

更简洁、更智能的体验，帮助您更快地找到API和资源——让用户能够自信地构建高质量应用。



减少点击次数



简化导航



用例清晰




端到端指导

UI简化：从5次点击到3次点击

× 旧流程

5次点击


繁琐的路径分散在多个链接和页面中



✓ 更新后的流程

3次点击


简洁的路径直接引导您到达目标页面。



更简单的构建方式 指南与API，融为一体

选择您的路径——在指南和API文档之间自由切换，不会迷失方向。


指南 - 跨API的工作流程 与每个用例的最佳实践



Guide

APIs

API文档 - 单个API的技术 参考和细节



Guide

APIs

集成工作流 - 指南的具体内容 步骤、示例、最佳实践

集成所需的一切——按用例组织，包含逐步工作流程、示例和最佳实践。

用例

探索常见的 API 使用场景，找到适合我们需求的解决方案。


API Use Cases

- [Creating a single-SKU listing](#)
- [Creating a multiple-SKU listing](#)
- [Creating listings in bulk](#)
- [Creating listings using eBay catalog products](#)
- [Creating listing previews for magical listings](#)

工作流

通过可视化工作流，一目了然地了解端到端流程。

Creating a single-SKU listing



工作流步骤

针对工作流每个环节提供详细的分步操作说明。

1. Create the location and location type using the `createInventoryLocation` method.
2. Define the item using the `createOrReplaceInventoryItem` method.
3. SKU: the seller defined stock keeping unit (sku) is passed in as a path parameter.
4. Title and description: the listing title and listing description are passed in under the product container.
5. Product aspects: the product aspects (aka item specifics) of the item are passed in as name-value pairs.

[View all steps →](#)

示例

真实的 API 请求与响应示例，帮助您快速上手。

Request	Response	Copy
<pre>{ "itemsBySearch": { "items": [{ "itemId": "v1 366542121112 ...", "title": "NEW IN BOX! Men's Brooks Adrenaline GTS 25", "price": { "value": "78.00", "currency": "USD" } }] } }</pre>		

[See full sample →](#)

最佳实践

经过验证的技巧与建议，助力集成顺利成功。

Best Practices

- Use a location object, an inventory item group, and an offer object before creating a new listing.
- Validate item specifics before publishing.
- Use appropriate categories and condition values.
- Test in Sandbox before going live.

[View all best practices →](#)

开发者工具 以AI为核心重新设计

为开发者提供所有所需工具——以AI为核心。

AI 辅助的支持入口

从我们的 AI 聊天机器人获取即时解答。当自助服务无法满足需求时，可获得免费支持。

My Tickets  AI-Assisted Support Application Growth Check

 How can I help you today?

 Submit

AI-assisted support is an experiment that may return inaccurate or inappropriate responses. View our [User Agreement](#) and [User Privacy Notice](#). Do not share personal information.

文档 AI 原生化

AI 工具可直接与开发者环境集成，轻松实现功能发现。

面向 AI 原生消费的 MD 内容

MEDIA.md
 Copy Markdown |  View as Markdown

指南：创建刊登

LISTING_CREATION.md
 Copy Markdown |  View as Markdown

发现并调用 GET 操作与 Query 查询 

GET `/sell/inventory/v1/item/{item_id}` Try it 

Agent 技能和SDK（试点可用）

Agent 技能 (Agent Skills)

借助 Agent 技能完成您的迁移，助力 API 操作的发现与映射。

按使用场景划分的 SDK

围绕使用场景组织的 SDK——每个场景均附带详细的 Schema、OAS 文件及客户端代码。

eBay Developers Program		
Home	Develop	Grow
SDKs and Widgets	Updates	Support
SDKs and Widgets		
SDKs		
eBay provides the following SDKs to make it easier for you to integrate with eBay's APIs.		
SDK	Supported APIs	Description
Digital Signature SDK (Java)	Key Management	Use this eBay Open Source Java SDK to simplify the process of generating digital signature headers and also provide a method to validate the digital signature headers.
Digital Signature SDK (Node.js)	Key Management	Use this eBay Open Source Node.js SDK to simplify the process of generating digital signature headers and also provide a method to validate the digital signature headers.
Event Notification SDK (Node.js)	Event Notifications	Use this eBay Open Source Node.js SDK for the latest eBay notifications that use ECC signatures and JSON payloads.
Event Notification SDK (Java)	Event Notifications	Use this eBay Open Source Java SDK for the latest eBay notifications that use ECC signatures and JSON payloads.
Event Notification SDK (NET)	Event Notifications	Use this eBay Open Source .NET SDK for the latest eBay notifications that use ECC signatures and JSON payloads.
Event Notification SDK	Event	Use this eBay Open Source PHP SDK for the latest eBay notifications that use ECC signatures and JSON payloads.

路线图与治理

02

计划更新

战略更新、路线图沟通与计划治理。

Sell API 更新

API更新支持eBay全平台计划——让卖家和买家始终获得最新功能。

平台一致性与卖家能力

- 库存映射 API 现已向所有开发者开放
- eBay 官方翻新计划扩展至 2200+ 个叶类目
- 钱币与废旧物品类目新增硬币品相分级
- 英国和澳大利亚市场启用买家保障费用

汽配、营销 API

- 广告活动：PLP 广告活动的最低预算要求已调整
- 广告报告任务中新增注释键，可根据维度访问更多特定数据点
- 履约与库存 API 支持多仓库管理

合规与监管

- 监管指南 (Regulatory Guideline) 通知主题
- 能源标签、产品属性、通用充电器指令 (CDD)、材料溯源、特定市场运输规则，以及新增合规金融交易类型

现代化

- 新的元数据配送方式已发布
- 新的消息与反馈 API 已发布
- 针对各类流程新增 Webhook 通知

Buy、开发者API和许可证更新

API更新支持eBay全平台计划——让卖家和买家始终获得最新功能。

购物 / 开发者 API 更新

- Buy 营销 API: getMostWatchedItems & getSimilarItems
- 新增消息与反馈 API
- 新增通知事件：报价、拍卖和反馈
- 新增跨境商品 Feed——将大市场（美国、英国、德国）的库存开放给小市场（如奥地利）
- 联盟推广的 PL 市场地理范围扩展
- 订单 API 地理范围扩展，支持更多市场：意大利及各跨境通道市场
- Browse getItem 系列接口新增慈善详情字段

开发者 API 更新

- Developer Analytics API 现在可清晰返回 API 调用次数统计

API 许可证协议更新

- 数据保护
 - **受限 API** (Restricted API) — 使用边界进一步收紧
 - **AI 内容使用** — 新增限制条款，若你在工作流中使用了 AI 返回的 API 数据，需认真审阅
- 数据传输

填补关键功能差距，提供流程的无缝执行和更好的用户体验——
确保卖家和买家获得最新功能。

API弃用与停用

作为现代化和通用API生命周期的一部分，以下操作将被停用。请参阅API弃用状态页面获取完整的Post-Order API列表。

API	Operation(s) / Field(s)	Date	Replacement(s)
Trading API	GetSellerDiscountProfiles SetShippingDiscountProfiles	2027/01/19	上述接口已弃用，将于 2027 年 1 月 19 日正式停用。建议现有用户迁移至 Account API v2 的组合运费规则（Combined Shipping Rules）方法。
Trading API	UploadSiteHostedPictures	2026/09/30	该接口已弃用，将于 2026 年 9 月 30 日正式停用。建议用户迁移至 Media API 的 createImageFromFile 和 createImageFromUrl 方法。
VeRO API	All	2026/09/30	VeRO API 所有方法已弃用，将于 2026 年 9 月 30 日正式停用。用户应规划迁移至 VeRO API v2，以创建和管理 VeRO 报告。
Trading API	GetAdFormatLeads	2026/09/21	GetAdFormatLeads 接口已弃用，将于 2026 年 9 月 21 日正式停用。现有用户请迁移至 REST Leads API。

<https://developer.ebay.com/develop/get-started/api-deprecation-status>

倾听与沟通

03

开发者参与和反馈

了解开发者需求、收集反馈并加强社区关系。

开发者调研

年度调研

对我们改善体验、制定产品路线图至关重要。

九月中旬

宣布年度调查——这是改善体验和制定路线图最重要的工具。

反馈与意见

- 全页面反馈收集——了解内容与体验方面的问题
- Sandbox 页面专属反馈入口——专门收集 Sandbox 相关问题



社区沟通

从精准、定向的电子邮件到广泛的新闻通讯和发布通信。

定向沟通

针对影响特定开发者的专项要求与问题，确保他们及时采取行动——这也是为什么保持邮件地址准确至关重要。

保持您的电子邮件地址最新

广泛触达

向所有订阅者群发邮件：

- 新闻通讯
- API 许可证更新

订阅以接收

开发者计划与参与

我们用来接触开发者并深入探讨重要事项的平台。



发布说明

详细的版本更新记录

Inventory Mapping API

Release Version	Release Date	Description of Release
1.0.0	2025-08-11	The initial version of the Inventory Mapping API

[← Back To Inventory Mapping API Docs](#) [Show more](#)

Charity API

Release Version	Release Date	Description of Release
1.2.1	2023-01-16	The <code>getCharityOrgByLegacyId</code> method has been deprecated and removed.
1.2.0	2020-08-14	Added postal code and country to the Address container of the Charity API.
1.1.0	2020-05-15	Added a new <code>getCharityOrgByLegacyId</code> resource method.
1.0.0	2020-04-20	The initial version of the Charity API.

[← Back To Charity API Docs](#) [Show more](#)



横幅公告

用于需要重点关注的重要更新。

ebay Developers Program

Important Update: eBay's API integrations will be modified to address data handling requirements for select developers. Usernames will be replaced with immutable user IDs, and financial data will be protected for certain users. Learn more [here](#).

Action Required: From early May, API users must include standardized condition details when creating or updating listings in certain coins category. Update your integration to stay compliant. Learn more [here](#).

Size Standardization Update: Apparel & Footwear listings with non-standard, missing, or incomplete size information may be blocked or hidden starting July 2026. Normalization begins in June. Learn more [here](#).

Action Required: A new Right of Withdrawal (ROW) return reason will be added to the `getReturnDetails` API for eligible EU returns. Update your integration so it can safely handle new/unknown return reason enum values without errors. Learn more [here](#).



博客文章与落地页

发布需要更多说明的新功能与更新内容。

Blog

Size Standardization for eBay Fashion Listings

We're introducing size standardization for Apparel & Footwear listings on eBay — a step toward improving listing quality, buyer trust,...

Explore the Inventory Mapping API

The Inventory Mapping API is now available for developer testing.

Open-Source SDK for Taxonomy Metadata

eBay's Category Aspects metadata, which has given definition to our marketplace listings, is evolving at a fast pace. With these rapid...





未来路线图

RSS / Webhook 订阅

- 发布说明
- 博客文章

与感兴趣的开发者定期同步



Demo: 面向eBay API开发者的AI工具

两种工具，一个目标

让开发者少花时间搜索文档、迁移和调试 API，把更多时间用来构建更好的产品体验



示例一：

Agent Skills: eBay API迁移

为智能体精心准备的API迁移专业知识。以精准、面向特定领域的指导，替代通用文档检索

- 将旧版 API 对应到现代化 API
- 对于没有提供替代方案的场景给出解答
- 涵盖迁移模式、认证配置和常见问题
- 提供API请求/响应示例



示例二：

eBay API MCP

通过自然语言访问 eBay API – 智能体可以直接发现、查看、调用，并基于 API 进行开发

- 自然语言检索 API
- 提供完整的 schema、认证与参数信息
- 支持直接调用生产环境 API（只读）
- 从简单的提示词快速生成演示应用

谢谢

